



MASSEY FERGUSON



MF 7S SERIES

155-210 HP

STRAIGHTFORWARD
AND DEPENDABLE
FARMING EXPERIENCE



MF 7S SERIES

POWERFUL DESIGN.
UNMATCHED PRODUCTIVITY.

THE NEW MF 7S SERIES DELIVERS ALL-NEW STYLING AND FEATURES DESIGNED FOR ULTIMATE EFFICIENCY AND REDUCED OPERATING COSTS, PLUS UNSURPASSED OPERATOR COMFORT SO YOU CAN GET MORE DONE, NO MATTER THE TASK.



5 MADE FOR PERFORMANCE



6 MADE FOR COMFORT



10 MADE FOR SMART FARMING & CONNECTIVITY

12 MADE FOR YOU



MF 7S Series at a Glance 4

The Classic Version 6

The Deluxe Version 8

Made for Smart Farming & Connectivity 10

Made to Maximize Uptime – Parts & Service 11

Options & Specifications 12

YOUR MF 7S SERIES AT A GLANCE

Designed for ultimate efficiency, the MF 7S Series is equipped with the latest straightforward and dependable technology to deliver low operating costs.

Efficient drivelines, Tier 4 Final emissions with an advanced All-in-One system, low fuel consumption, long service intervals, impressive traction and lift capacities, together with low maintenance costs – the MF 7S Series simply makes your farming operation more profitable.

Ultimate comfort for a more productive working day


- ▶ Cab and front-axle suspension
- ▶ High-visibility color dashboard display
- ▶ New ergonomic armrest and controls
- ▶ Up to 16 LED work lights (optional)

Low cost of operation

- ▶ “All-in-One” emission system cuts ownership costs and improves visibility
- ▶ 600 hr engine service intervals – to reduce costs and downtime
- ▶ Easy maintenance access

WITH FIVE MODELS TO CHOOSE FROM, THE MF 7S IS ALWAYS THE RIGHT CHOICE

	MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210
Engine	AGCO Power – Tier 4 Final – All-in-One technology				
Engine Capacity	6 cylinder, 6.6 liter				
Transmission	Dyna-6			–	
	Dyna-VT				
Maximum Power	155	165	180	190	210
Maximum Power With EPM (HP)	175	185	210	220	220
Rated PTO Power (HP)	135	140	155	165	180





New Datatronic 5 and optional Fieldstar 5 terminal provide the latest smart farming package

- ▶ 9" touch-screen terminal
- ▶ New MF Guide solutions for reducing overlaps
- ▶ Fewer skips and wasted product with MF Section and Rate Control
- ▶ Send and share job records on the cloud with MF TaskDoc® Pro
- ▶ Remote monitoring and decision making through MF Connect telemetry

Efficient drivelines

Dyna-6 Super Eco semi-powershift and Dyna-VT transmissions with Engine Power Management deliver more power when it is needed most

Ability to work faster with the toughest implements

Up to five spool valves to the rear and two to the front, including front linkage and Power Beyond installation, plus a high lift capacity hitch

MADE FOR PERFORMANCE

The new MF 7S Series is the pure embodiment of power meets sustainable efficiency with 6.6-liter, six-cylinder AGCO Power™ engines employing Massey Ferguson's exclusive, most advanced "All-in-One" system to meet strict emission regulations.



Combined with the


HIGHLY EFFICIENT DRIVELINES,

the engine is consistent and reliable, saves fuel, increases efficiency, and cuts costs



FUEL SAVINGS

by lower engine revs



600 H

Long service intervals reduce running costs



NO COMPROMISE

The compact All-in-One emission system is tucked neatly under the cab, where it has no impact on visibility



LOW NOISE



-40%

Particle reduction versus the previous stage

THE CLASSIC VERSION

LOGICAL, STRAIGHTFORWARD OPERATION

Classic is the entry-level package for the MF 7S Series, but it is anything but basic.

It includes all the key elements you would expect from your Massey Ferguson, with a blend of simplicity, ease of use and versatility to suit applications that require additional power and performance.



THE CLASSIC VERSION

THE NEW STANDARD FOR STRAIGHTFORWARD OPERATION

	COMFORT	EFFICIENCY	CONNECTIVITY
STANDARD	Brake-to-Neutral Air conditioning with manual adjustment Telescopic, wide-angle wing mirrors 2 USB ports Standard air suspended seat	T-lever transmission operation Dyna-6 Super Eco with standard Automatic Mode Engine speed memory A Dyna-6 Super Eco 25 mph Eco transmission Closed center, load sensing hydraulics 3 mechanical spool valves	MF Connect telemetry-ready with five-year subscription ISOBUS MF Guide system ready with MF TaskDoc
OPTION	Mechanical passive cab suspension Front axle suspension	Integrated Front Linkage System and PTO Dyna-6 Eco 31 mph transmission* Loader ready from factory with multifunction mechanical joystick 4 mechanical spool valves	Fieldstar 5 terminal MF Guide system with advanced guidelines MF Section & Rate Control MF TaskDoc Pro recording all job's data exchange

MECHANICAL MULTIFUNCTION LOADER JOYSTICK MAIN FUNCTIONS

- A Lift
- B Lower
- C Fill
- D Dump

COMBINED FUNCTIONS

- A/C Lift and fill
- A/D Lift and dump
- B/C Lower and fill
- B/D Lower and dump-bucket adjustment to horizontal position

*Depending on market/legislation



Light controls

PTO speed

Rear linkage controls

Hazard lights

Ignition key

Mechanical hydraulic levers

Diff lock auto/manual
4WD auto/manual
Marker lights/low beam lamps
Suspended front axle (opt.)
Brake-to-Neutral

Gear selection T-lever

Rear and front PTO controls

Hand throttle

Rear linkage controls
& depth wheel

THE DELUXE VERSION

BOOST YOUR PRODUCTIVITY

Deluxe is the high specification package for the MF 7S Series, designed to help you work smarter and get better results.

Dedicated to delivering increased productivity thanks to its key features, the Deluxe package enables you to work faster, to a higher standard, with more accuracy, together with high levels of comfort, ergonomics and reliability. Stay in control of the most technologically advanced and demanding implements to take advantage of their increased productivity.

THE DELUXE VERSION

ADVANCED EQUIPMENT TO HEIGHTEN YOUR EFFICIENCY AT WORK

	COMFORT	EFFICIENCY	CONNECTIVITY
STANDARD	<ul style="list-style-type: none"> Mechanical passive cab suspension Air conditioning with manual adjustment Telescopic, wide-angle wing mirrors Armrest with new MultiPad lever 2 USB ports Automatic air suspended seat SpeedSteer 	<ul style="list-style-type: none"> Dyna-6 with Automatic Mode or Dyna-VT 25 mph Super Eco transmissions Cruise control and Brake-to-Neutral Closed center 29 gal/min hydraulics Electrical and mechanical spool valves Engine speed memo A or B 2 electrical spool valves with electrical micro-joystick and 2 mechanical spool valves 	<ul style="list-style-type: none"> MF Connect telemetry-ready with five-year subscription Datatronic 5 touch-screen terminal 9" (with tractor settings management & ISOBUS integrated, camera & MF Guide compatible) MF Guide system-ready with MF TaskDoc
OPTION	<ul style="list-style-type: none"> Mechanical active cab suspension Front axle suspension Automatic air conditioning 16 LED working Lights Heated, electric-adjust mirrors Automatic air suspended swivel seat with lateral suspension, Dynamic Damping System 	<ul style="list-style-type: none"> 31 mph* Dyna-6 Eco with Supercrawler or 31 mph* Dyna-VT Integrated Front Linkage System and 1000 rpm front PTO Loader ready from factory with multifunction electrical joystick Closed center load sensing hydraulics with 39 or 50 gal/min 	<ul style="list-style-type: none"> Fieldstar 5 terminal MF Guide system with advanced guidelines MF Section & Rate Control MF TaskDoc Pro recording all job's data exchange

* Depending on market/legislation



EFFICIENT ELECTRO HYDRAULIC MULTIFUNCTION JOYSTICK

- A Lift front loader or rear valve control +
- B Lower front loader or rear valve control -
- C Fill front loader or rear valve control +
- D Dump front loader or rear valve control -

MADE FOR **SMART FARMING & CONNECTIVITY**

The new MF 7S Series range has taken Smart Farming and connectivity to new heights with real-time information and remote service, the intuitive Datatronic 5 interface and Fieldstar 5 terminal control features such as: MF Guide, MF Section and Rate Control as well as data transfer and management through MF TaskDoc and TaskDoc Pro.

KEY BENEFITS **FOR YOU**



12% FUEL SAVING

Guidance systems are proven to save up to 12% fuel in field operations



NO OVERLAPS

MF Guide virtually eliminates overlaps



SAVINGS

Using MF Guide helps you save money by reducing overlaps, precision application and increasing efficiency



COMFORT

Using MF Guide helps to reduce fatigue and stress by guiding you efficiently through your working day





PARTS & SERVICE

IT'S ALL ABOUT A LIFETIME OF SUPPORT

Buying, owning and maintaining equipment can be complex. That's why ensuring you have support and peace of mind is always an important consideration. With Massey Ferguson, you can count on personalized, responsive support from our network of dealers.

With Massey Ferguson, there's no cut-off time for Parts and Service, meaning we're available to you throughout the lifetime of your machine.

There's a pride and responsibility built into every piece of equipment we sell, and we make it our mission to keep your machine running smoothly, every single time you turn the key.

Ask your dealer about AGCO Protection, an extended warranty program that prolongs your coverage and safeguards against the cost of sudden breakdowns.

AGCO replacement parts are made to the same high standards as those used on the assembly line, so your AGCO® equipment will stay running like new. Talk to your dealer, or shop at parts.agcocorp.com to find the AGCO Genuine Parts you need.

Focus on your operation, not on scheduling maintenance. With AGCO GenuineCare plans, your service intervals are predetermined. You'll avoid downtime and be able to better plan your costs thanks to transparent pricing, bundles and discounts.



MAKE THE MF 7S SERIES AS INDIVIDUAL AS YOUR FARM



	CLASSIC	DELUXE
ENGINE		
AGCO Power — 6.6 liter	●	●
All-in-One technology	●	●
TRANSMISSION		
Power Control — multifunction shuttle lever	●	●
Right-hand shuttle control	-	●
T-Lever on console	●	-
A MultiPad lever on Command Control Armrest	-	●
Dyna-6 Super Eco (25 mph @ 1500 rpm)	●	●
Dyna-6 Eco (31 mph* @ 1800 rpm)	○	○
Dyna-VT Super Eco 25 mph or Eco 31 mph* with Automatic Mode	-	○
C1 & C2 cruise speed memories	●	●
Brake-to-Neutral - Clutch effect	●	●
OPERATOR ENVIRONMENT		
Air conditioning with manual adjustment	●	●
Air conditioning with automatic control	-	○
Air suspended swivel seat	●	●
Air suspended seat with heater and pneumatic lumbar adjustment	-	○
B Automatic air suspended swivel seat, ventilated, 2 heating levels, pneumatic lumbar, longitudinal & lateral shock absorber, dual motion backrest and DDS	-	○
Passive mechanical cab suspension	○	●
Active mechanical cab suspension	-	○
FM radio, CD, MP3, USB & front auxiliary	○	-
C FM or DAB + (digital) radio, CD, MP3, Bluetooth connection, USB & front auxiliary	-	○
Radio — controls in the armrest	-	●
Telescopic double angle mirrors with electric adjustment and de-icing	-	○
SpeedSteer	●	●
D 16 work lights package — with daytime running LED signature	○	○

- Not available
- Standard specification
- Optional
- * Depending on market legislation

	CLASSIC	DELUXE
OPERATOR ENVIRONMENT		
MF TECHNOLOGIES		
MultiPad with ISOBUS implement control switch assignment	-	●
MF Guide Ready	●	●
E NovAtel receiver — from sub-foot to sub-inch precision	○	○
F Trimble receiver — from sub-foot to sub-inch precision	○	○
MF Section Control — 36-section control	○	○
MF TaskDoc Pro — wireless data transfer	○	○
CHASSIS AND HYDRAULICS		
Front axle suspension	○	○
Mechanical control of spool valves	●	●
Electrical controls of spool valves	-	●
G Loader-ready tractor with electro hydraulic multifunction joystick control	-	○
Loader-ready tractor with mechanical multifunction joystick control	○	-
Power Beyond with couplers	○	○
Rear linkage with Active Transport Control	●	●
Automatic PTO	●	●
Mechanical PTO speed selection	●	-
Automatic traction management (4WD & differential lock)	●	●
Hydraulic top link on rear three-point linkage	○	○
Integrated front linkage (capacity of 7,055 lb or 8,818 lb depending on model)	○	○
Integrated front PTO	○	○
CONVENIENCE		
Automatic isolator switch	●	●
Standard toolbox	●	●
External lift control on fenders	●	●
External PTO start/stop control on fender	●	●
External remote valve control on fender	-	●
OTHER EQUIPMENT (SPECIFICATIONS MAY VARY BY MARKET)		
Pivoting front fenders	○	○
Pneumatic trailer brakes*	○	○
Hydraulic and pneumatic trailer brakes*	○	○



TECHNICAL SPECIFICATIONS

		MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210
ENGINE						
Engine type		AGCO Power with "All-in-One" technology				
Number of cylinders/number of valves/displacement	No. /No./L	6/4/6.6				
Aspiration		Electronic wastegate turbo and intercooler				
Injection type		Common rail				
Fan type		Vistronic				
Maximum power	✚ ISO hp (kW)	155 (114)	165 (121)	180 (132)	190 (140)	210 (157)
Engine rpm at maximum power	rpm	1950				
Maximum power with EPM	hp	175 (129)	185 (136)	210 (154)	220 (162)	220 (162)
Fuel tank capacity	Gallons	80.6				
DEF tank capacity	Gallons	7.9				
DYNA-6 TRANSMISSION						
Number of gears (Fwd x Rev)	Fwd x Rev	24 x 24			-	
Min. speed @ 1400 rpm	mph	0.7			-	
25 mph Eco/Super Eco at engine speed with max. tire dimension	rpm	1500 (with 650/65 R42)			-	
31 mph* Eco at engine speed with max. tire dimension	rpm	1800 (with 650/65 R42)			-	
DYNA-VT TRANSMISSION						
Type		Stepless, continuously variable transmission				
Field speed range	mph	Forward: 0.02-17 mph - reverse: 0.02-10 mph				
Road speed range	mph	Forward: 0.02-25 mph - reverse: 0.02-23 mph/Forward: 0.02-31 mph* - reverse: 0.02-23 mph				
REAR LINKAGE AND HYDRAULICS						
Lower links type	Cat	Cat 3				
Maximum lift capacity, at link end	lb	21,164				
Standard hydraulic system	gal/min	Closed center load sensing 29 gal/min				
Optional hydraulic system	gal/min	Closed center load sensing 39 gal/min or 50 gal/min				
Maximum number of rear spool valves		4 (Dyna-6) / 5 (Dyna-VT)				

- ✚ ISO 14396
- Not available
- * Depending on market legislation

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson dealer or distributor prior to any purchase.

		MF 7S.155	MF 7S.165	MF 7S.180	MF 7S.190	MF 7S.210
REAR POWER TAKE-OFF						
Engine speed at						
540/1000 Dyna-6	rpm	1980/2030			-	
540/540 Eco/1000/1000 Eco Dyna-6	rpm	1980/1530/2030/1570			-	
540/540 Eco/1000/1000 Eco Dyna-VT	rpm				1870/1500/1900/1530	
Shaft diameter	in.				1 3/8" 6 & 21 splines	
INDEPENDANT FRONT LINKAGE AND FRONT POWER TAKE-OFF						
Lower links type	Cat				Cat 3	
Maximum lift capacity, at link end	lb				7,055	
Maximum number of front spool valves					2	
Engine speed at 1,000 front PTO speed					1,920	
WHEELS AND TIRES (FULL RANGE AVAILABLE. PLEASE CONSULT YOUR DEALER)						
Front					380/85 R28	
Rear					460/85 R38	
WEIGHTS (MAY VARY DEPENDING ON CONFIGURATION. PLEASE CONSULT YOUR DEALER)						
Minimum weight/average weight/maximum weight	lb	12,787/15,432/17,968			13,889/16,535/18,519	
Maximum gross vehicle weight up to*	lb	27,558			30,865	

*Depending on market legislation

DIMENSIONS

		MF 7S Dyna-6	MF 7S Dyna-VT	
A	Wheelbase	in.	113.4	
B	Overall length from front linkage to rear linkage arms	in.	220.6	
B	Overall length from front weight frame to rear linkage arms	in.	194.0	
C	Height at center of rear axle to top of cab	in.	83.1	84.4
D	Total height	in.	117.5	118.9





**APPLY
ONLINE**
FOR FINANCING



*APPLY NOW FOR PRE-APPROVAL**
www.masseyferguson.com



or scan the QR code to get started.



*Currently only available for individual applicants. Subject to credit review and approval and other terms and conditions. All financing is in AGCO Finance LLC's sole discretion.
©2022 AGCO Corporation. Massey Ferguson is a worldwide brand of AGCO Corporation.
AGCO and Massey Ferguson are trademarks of AGCO. All rights reserved. | MF22B002FCV02



MASSEY FERGUSON

BORN TO **FARM**